

# Trapeze Brackets

## Eliminate All Conduit Clamps

## Save Over 20 Minutes per Foot




**Feed Thru**

Plastic Bushings for pulling LV, MC Cable, etc. must be UL Listed to maintain UL Listing when installed in the field or SP factory.

Original EZUTB – Size 1/2" thru 1 1/4" Conduit or equal size MC Cable

- Meets UL 514B
- Ideal for organization and management of wire
- 16 gauge Galvanized or Stainless Steel, plus other gauges available



Nuts & washers only necessary for top & bottom on each side of single or stacked brackets.

Plastic bushings for pulling LV, MC Cable, etc. can be provided.

**383 lb Load Rating**

### EZUTB SERIES

#### Trapeze Brackets

| Size | Catalog #         |
|------|-------------------|
| 12"  | EZUTB12-16GS (SS) |
| 24"  | EZUTB24-16GS (SS) |
| 36"  | EZUTB36-16GS (SS) |
| 48"  | EZUTB48-16GS (SS) |
| 60"  | EZUTB60-16GS (SS) |
| 72"  | EZUTB72-16GS (SS) |

16GS = 16 Gauge Galvanized Steel  
16SS = 16 Gauge Stainless Steel

EMT, IMC and/or Rigid  
MC Cable  
Low Voltage

Minimum length 1 foot; Maximum length 6 feet  
Order by Lengths in 1 ft. increments  
5 openings per foot spaced 2" apart  
For 1/4" or 3/8" Threaded Rod.

Customer must satisfy all codes and owners' specifications.



PATENTED

LABELS APPLY TO PRODUCTS ONLY WHERE SHOWN ABOVE



730 Pratt Boulevard • Elk Grove Village, IL 60007

P: (847) 593-8595 • F: (847) 593-8629 • Toll-free (800) 233-8595

E: info@spproducts.com • www.spproducts.com

**IP11**